WEST Search History

Hide Items Restore Clear Cancel

DATE: Friday, February 01, 2008

| Hide? | Set Name | Query | Hit Count |
|----------|-------------|--|--------------|
| | DB = I | PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR | |
| Γ | L123 | (1119 or 1120 or L121) and 199 | 6 |
| Γ | L122 | (1119 or 1120 or L121) and 1105 | 2 |
| Г | L121 | MATHON-JOHN-D.in. | 6 |
| | · L120 | YOST-DAVID-A.in. | 51 |
| Γ | L119 | KIESSIG-RICK.in. | 6 |
| Γ | L118 | 1117 and (coherency adj1 (manager or host)) | 0 |
| Γ | L117 | L116 and 199 | 0 |
| Γ | L116 | 1114 and L115 | 114 |
| Γ | L115 | ((version adj1 control) same (file or files or folder or folders)) | 956 |
| Γ | L114 | ((record or records) near (chang\$ or updat\$ or edit\$)) | 24901 |
| Γ | L113 | (L106 or L107 or L108 or L109 or L110) and L100 | 13 |
| Γ | L112 | (L106 or L107 or L108 or L109 or L110) and L103 | 0 |
| <u> </u> | L111 | (L106 or L107 or L108 or L109 or L110) and L105 | 0 |
| Γ | L110 | (707/203).ccls. | 1990 |
| Г | L109 | (707/202).ccls. | 1329 |
| Γ | L108 | (707/200).ccls. | 3340 |
| Г | L107 | (707/104.1).ccls. | 7003 |
| Γ | L106 | (707/2).ccls. | 3343 |
| Γ. | L105 | ((coherency adj1 (manager or host)) same (volume adj1 (manager or host)) same (file or files or folder or folders) same (metadata or (meta adj1 data) or metadata) same version\$) | 3 |
| Γ | L104 | ((coherency adj1 (manager or host)) near (volume adj1 (manager or host)) near (file or files or folder or folders) near (metadata or (meta adj1 data) or metadata)) | 0 |
| Γ | L103 | ((coherency adj1 (manager or host)) near (volume adj1 (manager or host))) | . 6 |
| Γ | L102 | ((volume adj1 (manager or manager)) near (folder or folders or file or files) near (metadata or (meta adj1 data) or meta-data)) | 0 |
| Г | L101 | ((volume near (manager or manager)) near (folder or folders or file or files) near (metadata or (meta adj1 data) or meta-data)) | 0 |
| Γ | L100 | ((volume near (manager or manager)) same (folder or folders or file or files) same (metadata or (meta adj1 data) or meta-data)) | 93 |
| Γ | L99 | (L97 and L98) | 18 |
| | | | |

| Г | L98 | (volume near (manager or manager)) | 1443 |
|----|--------|---|-------|
| Γ | L97 | (coherency near (manager or host)) | 54 |
| Γ. | L96 | (volume near manager) | 1443 |
| Γ | L95 | ((offline or off-line or (off adjl line)) near memor\$) | 405 |
| | DB= | USPT; PLUR=NO; OP=OR | |
| Γ | L94 | 7062764.pn. | 1 |
| | DB = 0 | PGPB, USPT, USOC; PLUR=NO; OP=OR | |
| Γ | L93 | L89 and ((search\$ or quer\$ or inquir\$ or enquir\$ or question\$ or request\$) near (file or files or folder or folders)) | 57 |
| Γ | L92 | L88 and ((search\$ or quer\$ or inquir\$ or enquir\$ or question\$ or request\$) near (file or files or folder or folders)) | 11 |
| Γ | L91 | L87 and ((search\$ or quer\$ or inquir\$ or enquir\$ or question\$ or request\$) near (file or files or folder or folders)) | 127 |
| Ė | L90 | L86 and ((search\$ or quer\$ or inquir\$ or enquir\$ or question\$ or request\$) near (file or files or folder or folders)) | 38 |
| Γ | L89 | L57 and interfac\$.ab. | 147 |
| | L88 | L56 and interfac\$.ab. | 35 |
| Γ | L87 | L54 and interfac\$.ab. | 229 |
| | L86 | L53 and interfac\$.ab. | 63 |
| Γ | L85 | L83 and (file or files or folder or folders) | 1 |
| Γ | L84 | L83 and (file or files or folder or folders) | 1 |
| Γ | L83 | 6952698.pn. | 1 |
| | L82 | (volume adj1 manager).ab. | 47 |
| Γ | L81 | L73 and (file or files or folder or folders).ti. | 4 |
| | L80 | L73 and (file or files or folder or folders).ab. | 26 |
| Γ | L79 | L72 and (file or files or folder or folders).ab. | 1 |
| Γ | L78 | L72 and (file or files or folder or folders).ti. | 0 |
| Γ | L77 | L71 and (file or files or folder or folders).ti. | 13 |
| - | L76 | L71 and (file or files or folder or folders).ab. | 23 |
| Γ | L75 | L70 and (file or files or folder or folders).ab. | 126 |
| Γ | L74 | L70 and (file or files or folder or folders).ti. | 37 |
| Γ | L73 | L67 and L69 | 47 |
| Γ | L72 | L67 and L68 | 4 |
| Γ | L71 | L66 and L68 | 72 |
| Γ | L70 | L66 and L69 | 294 |
| | L69 | volume.ab. | 78563 |
| Γ | L68 | volume.ti. | 8381 |
| Γ | L67 | ((volume near manag\$) near (file or files or folder or folders)) | 137 |
| Γ | L66 | ((volume near manag\$) with (file or files or folder or folders)) | 1077 |

| Г | L65 | L64 and coherency.ab. | 30 |
|-------|------|--|-------|
| Г | L64 | volume.ab. | 78563 |
| · _ | L63 | L58 and (coherency adj1 manager) | 17 |
| Г | L62 | L57 | 1273 |
| Г | L61 | L56 | 295 |
| Г | L60 | L54 | 2052 |
| Г | L59 | L53 and L58 | 42 |
| Γ | L58 | (volume adj1 manager\$) | 1399 |
| Γ | L57 | L52 and (metadata or meta-data or (meta adj1 data)).ab. | 1273 |
| Г | L56 | L52 and (metadata or meta-data or (meta adj1 data)).ti. | 295 |
| Г | L55 | (metadata or meta-data or (meta adj1 data)).ti. | 1055 |
| Γ | L54 | L52 and (file or files or folder or folders).ab. | 2052 |
| Γ | L53 | L52 and (file or files or folder or folders).ti. | 824 |
| Γ | L52 | ((metadata or meta-data or (meta adj1 data)) near (file or files or folder or folders)) | 3992 |
| | DB=1 | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=OR | |
| · | L51 | (33 or L49 or L50) and ((volume adj1 manager) with volume with(file or files or folder or folders) with (metadata or (meta adj1 data) or meta-data)) | 5 |
| Г | L50 | ORR-DAVID.in. | 11 |
| Г | L49 | KWASNY-DAVID-M.in. | 57 |
| Γ | L48 | WENG-JIAN-GANG.in. | 27 |
| Γ | L47 | (L42 or L43 or L44 or L44 or L45 or L46) and ((volume adj1 manager) with volume with (file or files or folder or folders) with (metadata or (meta adj1 data) or meta-data)) | 7 |
| Γ | L46 | (707/201).ccls. | 1773 |
| Γ | L45 | (707/205).ccls. | 1279 |
| Γ | L44 | (707/100).ccls. | 5965 |
| Γ | L43 | (707/102).ccls. | 5828 |
| Г | L42 | (707/1).ccls. | 6344 |
| | L41 | L40 and ((gui or (graphical adj1 user adj1 interfac\$) or view\$ or display\$) with histor\$) | 8 |
| Γ | L40 | ((volume adj1 manager) with volume with(file or files or folder or folders) with (metadata or (meta adj1 data) or meta-data)) | 26 |
| Γ | L39 | ((volume adj1 manager) near volume near(file or files or folder or folders) near (gui or (graphical adj1 user adj1 interfac\$) or view\$ or display\$) near (metadata or (meta adj1 data) or meta-data)) | 0 |
| Γ | L38 | ((volume adj1 manager) with (file or files or folder or folders) with (gui or (graphical adj1 user adj1 interfac\$) or view\$ or display\$) with (metadata or (meta adj1 data) or meta-data)) | 0 |
| Γ | L37 | ((volume adj1 manager) with (file or files or folder or folders) with (volume\$ or size or block) with (gui or (graphical adj1 user adj1 interfac\$) or view\$ or | 0 |

| | | · | | |
|-------------------------------------|--------|---|------|--|
| | | display\$) with (metadata or (meta adj1 data) or meta-data)) | | |
| Г | L36 | ((volume adj1 manager) with (file or files or folder or folders) with (volume\$ or size or block) with (gui or (graphical adj1 user adj1 interfac\$) or view\$ or display\$) with (metadata or (meta adj1 data) or meta-data) with histor\$) | 0 | |
| DB=PGPB, USPT, USOC; PLUR=NO; OP=OR | | | | |
| Г | L35 | L34 and histor\$.ab. | 2 | |
| Γ | L34 | L33 and (metadata or (meta adj1 data) or meta-data) | 11 | |
| Γ | L33 | L32 and (file or files or folder or folders).ab. | 20 | |
| Г | L32 | (volume near manager).ab. | 50 | |
| | DB = 0 | USPT; PLÙR=NO; OP=OR | | |
| Γ | L31 | (volume near manager).ab. | 22 | |
| | DB = I | PGPB, USPT, USOC; PLUR=NO; OP=OR | | |
| Γ | L30 | L16 and history | 1 | |
| Γ | L29 | L28 and history | 1 | |
| Г | L28 | (L22 or L23 or L24 or L25 or L26) and ((file or files or folder or folders) with (metadata or (meta adj1 data) or meta-data) with (histor\$ or audit\$ or timestamp or (time adj1 stamp\$) or time-stamp) with (view\$ or gui or (graphical adj1 user adj1 interfac\$) or interfac\$ or display\$)) | 1 | |
| Г | L27 | (L22 or L23 or L24 or L25 or L26) and ((file or files or folder or folders) with (metadata or (meta adj1 data) or meta-data) with (histor\$ or audit\$ or timestamp or (time adj1 stamp\$) or time-stamp)) | 35 | |
| 厂 | L26 | L22 and volume.ab. | 99 | |
| Г | L25 | L22 and volume.ti. | 25 | |
| Γ | L24 | L22 and (file or files or foldr or folders).ab. | 114 | |
| Γ | L23 | L22 and (file or files or foldr or folders).ti. | 44 | |
| Г | L22 | L21 and ((file or files or folder or folders) with (display\$ or (graphical adj1 user adj1 interfac\$) or interfac\$ or view\$)) | 261 | |
| Γ | L21 | L20 and (volume near manager) | 350 | |
| F | L20 | (volume near (folder or folders or file or files)) | 3029 | |
| Γ | L19 | L16 and size\$ | 1 | |
| Γ | L18 | L16 and audio\$ | 0 | |
| Γ | L17 | L16 and volume\$ | 1 | |
| Γ | L16 | 20040133588.pn. | . 1 | |
| Γ | L15 | L1 and history | 1 | |
| Γ | L14 | L13 and history | 1 | |
| Γ | L13 | (L7 or L8 or L9 or L10 or L11) and ((file or files or folder or folders) with (metadata or (meta adj1 data) or meta-data) with (histor\$ or audit\$ or timestamp or (time adj1 stamp\$) or time-stamp) with (view\$ or gui or (graphical adj1 user adj1 interfac\$) or interfac\$ or display\$)) | 1 | |
| Г | L12 | (L7 or L8 or L9 or L10 or L11) and ((file or files or folder or folders) with (metadata or (meta adj1 data) or meta-data) with (histor\$ or audit\$ or timestamp or (time adj1 stamp\$) or time-stamp)) | 35 | |

| Г | L11 | L7 and volume.ab. | 99 |
|----------|-----|--|------|
| _ | L10 | L7 and volume.ti. | 25 |
| Г | L9 | L7 and (file or files or foldr or folders).ab. | 114 |
| Γ | L8 | L7 and (file or files or foldr or folders).ti. | 44 |
| Г | L7 | L6 and ((file or files or foldr or folders) with (display\$ or (graphical adj1 user adj1 interfac\$) or interfac\$ or view\$)) | 261 |
| Γ | L6 | L5 and (volume near manager) | 350 |
| · 厂 | L5 | (volume near (folder or folders or file or files)) | 3029 |
| Γ | L4 | L1 and size\$ | 1 |
| Γ | L3 | L1 and audio\$ | . 0 |
| Γ | L2 | L1 and volume\$ | 1 |
| Г | Ll | 20040133588.pn. | . 1 |

END OF SEARCH HISTORY



Home | Login | Logout | Access Information | Alerts | Purchase History |

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((coherency)<in>metadata) <and> ((volume)<in>metadata))<and> ((version..."

Your search matched 1 of 1740684 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

View Session History

New Search

» Key

IEEE JNL

IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

Modify Search

Check to search only within this results set

Display Format:

IEEE/IET

Books

Educational Courses

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

view selected items

Select All Deselect All

1. Parallel volume rendering on a network of workstations

Giersten, C.; Petersen, J.;

Computer Graphics and Applications, IEEE

Volume 13, <u>Issue 6</u>, Nov. 1993 Page(s):16 - 23

Digital Object Identifier 10.1109/38.252548

AbstractPlus | Full Text: PDF(620 KB) | IEEE JNL

Rights and Permissions

Help Contact Us

© Copyright 20

Indexed by inspec



Subscribe (Full Service) Register (Limited Service, Free) Login

coherency and volume and files and version control and record



THE ACM DICITAL LIBRARY

Feedback

coherency and volume and files and version control and record Terms used: coherency volume files version control record

Found 38 of 238

Refine these results with Advanced Save results to a Binder Sort results by relevance Search Display results expanded form Try this search in The ACM Guide Copen results in a new window

Results 1 - 20 of 38

Result page: 1 2 next >>

Geometric modeling based on polygonal meshes

Ads by Google

Video files associated with this course are available from the citation page

Mario Botsch, Mark Pauly, Leif Kobbelt, Pierre Alliez, Bruno Lévy, Stephan Bischoff, Christian Rössl

August 2007 SIGGRAPH '07: ACM SIGGRAPH 2007 courses

Publisher: ACM

Full text available: pdf(44.53 MB) Additional Information: full citation, appendices and supplements, abstract, references

In the last years triangle meshes have become increasingly popular and are nowadays intensively used in many different areas of computer graphics and geometry processing. In classical CAGD irregular triangle meshes developed into a valuable alternative ...

Document Scanning Serv Free Online Qu Scan to PDF/TI Serving the DC Metropolitan Are www.ignitedscanning

Image Process Software Development

Services - Imag Processing and Image Analysis www-PhotoProcessi

On incremental file system development

Erez Zadok, Rakesh Iyer, Nikolai Joukov, Gopalan Sivathanu, Charles P. Wright May 2006 ACM Transactions on Storage (TOS), Volume 2 Issue 2

Publisher: ACM

Full text available: pdf(260.40 KB) Additional Information: full citation, abstract, references, cited by, index terms

Developing file systems from scratch is difficult and error prone. Using layered, or stackable, file systems is a powerful technique to incrementally extend the functionality of existing file systems on commodity OSes at runtime. In this article, we ...

Keywords: I/O manager, IRP, Layered file systems, VFS, extensibility, stackable file systems, vnode

Restore Pdf Top Rated Data Recovery Softw Free Download. 100% Guarante Data-Recovery-Prof-

Professional Algorithm Development & Validation Solutions. Conta Us!

Mathematica Algorithm

www.scienceops.com

A survey and analysis of Electronic Healthcare Record standards

Marco Eichelberg, Thomas Aden, Jörg Riesmeier, Asuman Dogac, Gokce B. Laleci December 2005 ACM Computing Surveys (CSUR), Volume 37 Issue 4 Publisher: ACM

Full text available: pdf(844.11 KB) Additional Information: full citation, abstract, references, cited by, index terms

10/632,10%

Medical information systems today store clinical information about patients in all kinds of proprietary formats. To address the resulting interoperability problems, several Electronic Healthcare Record standards that structure the clinical content for ...

Keywords: Electronic Healthcare Record standards, eHealth, interoperability

Synchronization and recovery in a client-server storage system E. Panagos, A. Biliris

August 1997 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 6 Issue 3

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(205.25 KB) Additional Information: full citation, abstract, cited by, index terms

Client-server object-oriented database management systems differ significantly from traditional centralized systems in terms of their architecture and the applications they target. In this paper, we present the client-server architecture of the EOS storage ...

Keywords: Checkpoint, Client-server architecture, Object management, Concurrency control, Locking, Logging, Recovery, Transaction management

5 Adaptive, fine-grained sharing in a client-server OODBMS: a callback-

based approach

Markos Zaharioudakis, Michael J. Carey, Michael J. Franklin December 1997 ACM Transactions on Database Systems (TODS), Volume 22

Publisher: ACM

Full text available: pdf(441.80 KB) Additional Information: full citation, abstract, references, cited by, index terms, review

For reasons of simplicity and communication efficiency, a number of existing object-oriented database management systems are based on page server architectures; data pages are their minimum unit of transfer and client caching. Despite their efficiency, ...

Keywords: cache coherency, cache consistency, client-server databased, fine-grained sharing, object-oriented databases, performance analysis

The evolution of Coda

M. Satyanarayanan

May 2002 ACM Transactions on Computer Systems (TOCS), Volume 20 Issue 2 Publisher: ACM

Full text available: pdf(441.35 KB) Additional Information: full citation, abstract, references, cited by, index terms

Failure-resilient, scalable, and secure read-write access to shared information by mobile and static users over wireless and wired networks is a fundamental computing challenge. In this article, we describe how the Coda file system has evolved to meet ...

Keywords: Adaptation, Linux, UNIX, Windows, caching, conflict resolution, continuous data access, data staging, disaster recovery, disconnected

operation, failure, high availability, hoarding, intermittent networks, isolationonly transactions, low-bandwidth networks, mobile computing, optimistic replica control, server replication, translucent cache management, weakly connected operation

7 Kizamu: a system for sculpting digital characters

Ronald N. Perry, Sarah F. Frisken

August 2001 **SIGGRAPH '01:** Proceedings of the 28th annual conference on Computer graphics and interactive techniques

Publisher: ACM

Full text available: pdf(4.04 MB) Additional Information: full citation, abstract, references, cited by, index terms

This paper presents Kizamu, a computer-based sculpting system for creating digital characters for the entertainment industry. Kizamu incorporates a blend of new algorithms, significant technical advances, and novel user interaction paradigms into a system ...

Keywords: ADFs, character design, digital sculpting, distance fields, graphics systems, rendering, triangulation, volume modeling

8 Improving the reliability of commodity operating systems

Michael M. Swift, Brian N. Bershad, Henry M. Levy
February 2005 ACM Transactions on Computer Systems (TOCS), Volume 23
Issue 1

Publisher: ACM

Full text available: pdf(459.98 KB) Additional Information: full citation, abstract, references, cited by, index terms

Despite decades of research in extensible operating system technology, extensions such as device drivers remain a significant cause of system failures. In Windows XP, for example, drivers account for 85&percent; of recently reported failures. This article ...

Keywords: I/O, Recovery, device drivers, protection, virtual memory

9 ARIES/IM: an efficient and high concurrency index management method

using write-ahead logging

C. Mohan, Frank Levine

June 1992 **SIGMOD '92:** Proceedings of the 1992 ACM SIGMOD international conference on Management of data

Publisher: ACM

Full text available: pdf(1.32 MB) Additional Information: full citation, abstract, references, cited by, index terms

This paper provides a comprehensive treatment of index management in transaction systems. We present a method, called ARIESIIM (Algorithm for Recovery and Isolation Exploiting Semantics for Index Management), for concurrency control and ...

10 Improving the reliability of commodity operating systems Michael M. Swift, Brian N. Bershad, Henry M. Levy



December 2003 SOSP '03: ACM SIGOPS Operating Systems Review, Volume 37 Issue 5

Publisher: ACM

Full text available: pdf(262.78 KB) Additional Information: full citation, abstract, references, cited by, index terms

Despite decades of research in extensible operating system technology, extensions such as device drivers remain a significant cause of system failures. In Windows XP, for example, drivers account for 85% of recently reported failures. This paper describes ...

Keywords: I/O, device drivers, protection, recovery, virtual memory

11 Evaluating a new approach to strong web cache consistency with

snapshots of collected content

Mikhail Mikhailov, Craig E. Wills

May 2003 WWW '03: Proceedings of the 12th international conference on World Wide Web

Publisher: ACM

Full text available: pdf(115.46 KB) Additional Information: full citation, abstract, references, cited by, index terms

The problem of Web cache consistency continues to be an important one. Current Web caches use heuristic-based policies for determining the freshness of cached objects, often forcing content providers to unnecessarily mark their content as uncacheable

Keywords: cache consistency, change characteristics, collected content, object composition, object relationships, server invalidation, web caching

12 Real-time shading



Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi Rost

August 2004 SIGGRAPH '04: ACM SIGGRAPH 2004 Course Notes

Publisher: ACM

Full text available: 📆 pdf(7.39 MB) Additional Information: full citation, abstract, cited by

Real-time procedural shading was once seen as a distant dream. When the first version of this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering ...

EnsemBlue: integrating distributed storage and consumer electronics Daniel Peek, Jason Flinn

November 2006 OSDI '06: Proceedings of the 7th symposium on Operating systems design and implementation

Publisher: USENIX Association

Full text available: pdf(399.46 KB) Additional Information: full citation, abstract, references

EnsemBlue is a distributed file system for personal multimedia that incorporates both general-purpose computers and consumer electronic devices (CEDs). Ensem-Blue leverages the capabilities of a few general-purpose computers to make CEDs first class ...

- 14 WebExpress: a client/intercept based system for optimizing Web browsing
- in a wireless environment

Barron C. Housel, George Samaras, David B. Lindquist

December 1998 Mobile Networks and Applications, Volume 3 Issue 4

Publisher: ACM

Full text available: pdf(338.35 KB) Additional Information: full citation, abstract, references, cited by, index terms

This paper describes an application model and software technology that makes it possible to run World Wide Web applications in wide area wireless networks. Web technology in conjunction with today's mobile devices (e.g., laptops, notebooks, personal ...

15 Code Generation and Optimization for Transactional Memory Constructs in an Unmanaged Language

Cheng Wang, Wei-Yu Chen, Youfeng Wu, Bratin Saha, Ali-Reza Adl-Tabatabai March 2007 **CGO '07:** Proceedings of the International Symposium on Code Generation and Optimization

Publisher: IEEE Computer Society

Full text available: 🔁 pdf(365.03 KB) Additional Information: full citation, abstract, index terms

Transactional memory offers significant advantages for concurrency control compared to locks. This paper presents the design and implementation of transactional memory constructs in an unmanaged language. Unmanaged languages pose a unique set of challenges ...

- 16 MPI performance analysis tools on Blue Gene/L
 - I-Hsin Chung, Robert E. Walkup, Hui-Fang Wen, Hao Yu November 2006 **SC '06:** Proceedings of the 2006 ACM/IEEE conference on Supercomputing

Publisher: ACM

Additional Information: full citation,

Full text available: pdf(943.81 KB) finhtml(2.29 KB)

abstract, references, index terms

Applications on today's massively parallel supercomputers are often guided with performance analysis tools toward scalable performance on thousands of processors. However, conventional tools for parallel performance analysis have serious problems due ...

Keywords: performance tool, performance tuning

- 17 ARIES/IM: an efficient and high concurrency index management method
- using write-ahead logging
 C. Mohan, Frank Levine

June 1992 SIGMOD '92: ACM SIGMOD Record, Volume 21 Issue 2

Publisher: ACM

Additional Information: full citation, abstract, references, cited

Full text available: pdf(1.32 MB)

by, index terms

This paper provides a comprehensive treatment of index management in transaction systems. We present a method, called ARIESIIM (Algorithm for Recovery and Isolation Exploiting Semantics for Index Management), for concurrency control and ...

18 Improving the reliability of commodity operating systems

Michael M. Swift, Brian N. Bershad, Henry M. Levy

October 2003 **SOSP '03:** Proceedings of the nineteenth ACM symposium on Operating systems principles

Publisher: ACM

Full text available: pdf(262.78 KB) Additional Information: full citation, abstract, references, cited by, index terms

Despite decades of research in extensible operating system technology, extensions such as device drivers remain a significant cause of system failures. In Windows XP, for example, drivers account for 85% of recently reported failures. This paper describes ...

Keywords: I/O, device drivers, protection, recovery, virtual memory

19 Visualization of large terrains made easy

Peter Lindstrom, Valerio Pascucci

October 2001 VIS '01: Proceedings of the conference on Visualization '01

Publisher: IEEE Computer Society

Full text available: pdf(2.21 MB) Publisher Site

Additional Information: <u>full citation</u>, <u>abstract</u>, references, cited by,

index terms

We present an elegant and simple to implement framework for performing out-of-core visualization and view-dependent refinement of large terrain surfaces. Contrary to the recent trend of increasingly elaborate algorithms for large-scale terrain visualization, ...

20 The holodeck ray cache: an interactive rendering system for global

illumination in nondiffuse environments

Gregory Ward, Maryann Simmons

October 1999 ACM Transactions on Graphics (TOG), Volume 18 Issue 4

Publisher: ACM

Full text available: pdf(935.74 KB) Additional Information: full citation, abstract, references, cited by, index terms

We present a new method for rendering complex environments using interactive, progressive, view-independent, parallel ray tracing. A four-dimensional holodeck data structure serves as a rendering target and caching mechanism for interactive ...

Keywords: illumination, image reconstruction, mesh generation, ray tracing, rendering system, virtual reality

Results 1 - 20 of 38

Result page: 1 $\frac{2}{}$ next >>

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player